GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department - Nellore Municipal Corporation – Allegations against Engineering staff of Nellore Municipal Corporation on sub-standard execution of CC Roads– Departmental action initiated against Sri T.Raghu Ram, Assistant Engineer and two others of Nellore Municipal Corporation – Charges issued – Regular Enquiry - Appointment of Sri T.Mohan, Superintending Engineer, PH Circle, Nellore Municipal Corporation as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.2) DEPARTMENT

G.O.RT.No. 786 **Dated: 13-08-2018**

Read the following:-

1. From the General Administration (V&E) Department, Vigilance Report No.130 (C.No.122/V&E/E2/2009), dt.19.10.2010.
2. Govt.Memo.No.22868/E1/2010-2, MAU&D (E1) Dept., dt.02.02.2011.
3. From the ENC (PH), A.P., Hyd., Lr.No.18/NLR/CS2/E3/2011, dt.05.07.2011.
4. G.O.Rt.Nos.710, 712 & 713, MA&UD (E1) Department, dt.21.05.2013.
5. WSD of Sri T.Raghu Ram, AE, Nellore Municipal Corporation, dt.Nil.

***

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against 1) Sri T.Raghu Ram, Assistant Engineer, 2) Sri M.Venkateswarlu, the then Deputy Executive Engineer and 3) T.Srinivas Sanjay, the then Municipal Engineer of Nellore Municipal Corporation for allegations of irregularities on sub-standard execution of Cement Concrete Road in Nellore Town.

2. Whereas, Government after careful examination of the matter, it is considered that an Enquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri T.Mohan, Superintending Engineer, Nellore Municipal Corporation as an Enquiry Officer to enquire into charges framed against 1) Sri T.Raghu Ram, Assistant Engineer 2) Sri M.Venkateswarlu, the then Deputy Executive Engineer and 3) T.Srinivas Sanjay, the then Municipal Engineer of Nellore Municipal Corporation.

4. The Enquiry Officer shall conduct the enquiry as per APCS (CCA) Rules, 1991 and submit his report within two months from the date of receipt of this order to Government.

5. The Engineer-In-Chief (PH), A.P., Guntur shall provide the required material such as Article of Charges, written statement of defense of the Charged Officers etc., to the Enquiry Officer.

(P.T.O)

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri T.Mohan, Superintending Engineer & Enquiry Officer, Nellore
– **through** the ENC (PH)., A.P., Guntur.
The Deputy Commissioner & Presenting Officer,
Nellore Municipal Corporation
– **through** the Commissioner, Nellore Municipal Corporation.
Sri T.Raghu Ram, Assistant Engineer, Nellore Municipal Corporation.
Sri M.Venkateswarlu, the then Deputy Executive Engineer,
Nellore Municipal Corporation.
Sri T.Srinivas Sanjay, the then Municipal Engineer of
Nellore Municipal Corporation.
(through the ENC(PH), A.P. Guntur. w.r.to serve to COs)

Copy to:
The Engineer-In-Chief (PH), A.P., Guntur.
The Commissioner, Nellore Municipal Corporation, SPSR Nellore District.
SF / SCs.

// FORWARDED BY ORDER //

SECTION OFFICER.